

Conectores Industriales

Let's Connect



Multipolares Rockstar

IP 65



POLOS	ROSCA	SALIDA LATERAL	SALIDA SUPERIOR	TAPA
3/4 + T	M20	178881	178882	166575
6 + T		178810	178812	166520
10 + T	M25	178755	178759	166523
16 + T		178818	178821	166526
24 + T	M32	178775	178781	166563
32 + T		178840	178843	
48 + T	M40	178831	178834	



POLOS	BASE ABIERTA	BASE LATERAL	ROSCA	BASE AÉREA	ROSCA
3/4 + T	149760	178883	M20	178884	M20
6 + T	120210	190046		102133	M25
10 + T	120500	190137	M25	178772	M20
16 + T	120860	189998		178720	M25
24 + T	121240	190115		178792	M25
32 + T	121780	190260	M32	190273	M40
48 + T	122290	190419			

PRENSA CABLE	DIAMETRO CABLE	PLÁSTICO	METÁLICO	TUERCA PLASTICA
M20	6 - 12mm2	177230	177222	177246
M25	11 - 17mm2	190987	190992	177247
M32	15 - 21mm2	190988	190993	177247
M40	19 - 28mm2	190989	190994	177249



Cables y conectores M12

CONECTOR M12 CON CABLE	LONGITUD	CÓDIGO
HEMBRA 4 PINES COD-A 	RECTO 	2m 9457730200
		5m 9457730500
		10m 9457731000
	ACODADO 	2m 9457740200
		5m 9457740500
		10m 9457741000
HEMBRA 5 PINES COD-A	Acodado con 2 led	5m 9456380500
	RECTO	5m 9457910500
HEMBRA 8 PINES	ACODADO	5m 9457690500
	RECTO	10m 1865871000

Conector M23 con cable

CONECTOR M23 CON CABLE 5 METROS	HEMBRA	MACHO
19 polos conector recto	1818180500	1818160500
12 polos conector recto	1886440500	1906280500

Núcleos Rockstar



POLOS	U / I	NUCLEO MACHO	NUCLEO HEMBRA
3 + T	400V 16A	149810	149820
4 + T		149830	149840
6 + T	500V / 24A	120000	120020
10 + T	500V / 16A	120390	120410
16 + T		120750	120770
24 + T		121110	121130
32 + T		120750 + 121570	120770 + 121610
48 + T		121110 + 122080	121130 + 122120

PARA POTENCIA	NUCLEO MACHO	NUCLEO HEMBRA
6 + T 400V / 35A	149870	149890

- Utilizar ficha y base tipo 16 polos

Cables y Conectores para Sensores IP 67

Cables y conectores M8

CONECTOR M8 CON CABLE	LONGITUD	CÓDIGO
HEMBRA 4 PINES 	RECTO	9457850500
	ACODADO	9456150500
HEMBRA 3 PINES 	RECTO	9457450500
	ACODADO	9457380500

CONECTOR M8 PARA ARMAR	HEMBRA	MACHO
4 PINES	RECTO	180388
3 PINES		180387
		180386



CONECTOR M12 PARA ARMAR	HEMBRA	MACHO
4 PINES COD-A	RECTO	945724
	ACODADO	945770
5 PINES COD-A	RECTO	945725
	ACODADO	945726
8 PINES COD-A	RECTO	183696
12 PINES COD-A	RECTO	183697
12 PINES p/ soldar	RECTO	192496
4 PINES x 12A Cod-S 630V	RECTO	139200
		139199



Ethernet / Profinet / Profibus

CONECTORES M12 METÁLICOS	CODIFICACION	ENTRADA	HEMBRA	MACHO
	D-coded	Ethernet Profinet	189213	189212
	B-coded	Profibus DP	178478	178479
	A-coded	Profibus PA	842622	945564

	LONGITUD	CÓDIGO
Patchcore RJ45-Rj45 cat 6	1,5m	1165940015
	3m	1165940030

PASAMUROS	ENTRADA	SALIDA	CÓDIGO
	RJ45	RJ45	101879
	RJ45	Cable	101881
	USB A	USB A	142796
	USB A	USB B	122255
	M12 hembra 4p	Cable	186119

CABLE EN ROLLO	INFO	LONGITUD	CÓDIGO
Cable para Sensores	4x0,34mm2 PUR	100m	9457749999
Profibus DP	Violeta	40m	1873304000
Ethernet Cat 7	S/FTP PUR	305m	1344680000



FRONTCOM= energía + USB+ RJ45



196360 Metálica
Sin herramienta



196359



116188 Profibus



170125 8 bocas
M12 5 polos



Fotovoltaico 1500VDC
130347(M)-130351(H)



196311 RJ45



196351
acople RJ45



178343



186119